REGIONAL DISTRICT OF NANAIMO

REQUEST FOR TENDERS No. 22-067

Household Hazardous Waste Outdoor Storage Buildings Supply

Addendum 1
Issued: August 8, 2022

Closing Date & Time: on or before 3:00 PM Pacific Time on August 12, 2022

This addendum shall be read in conjunction with and considered as an integral part of the Request for Tender. Revisions supersede the information contained in the original Tender or previously issued Addendum. No consideration will be allowed for any extras due to any Vendor not being familiar with the contents of this Addendum. All other terms and conditions remain the same.

Tender Addendum

Please note the following changes to Appendix A – Technical Specifications

Appendix A – Technical Specifications

Table 1. Flammable Materials Storage

Correction:

Exterior Dimensions (approx.)	8’ X 10’ X 8’ LXWXH	
Building Wind Load	19 PSI	

Add:

Building Roof Load	2.6 kPa (55 psf)	

Table 2. Non-Combustible Hazardous Materials Storage Occupancy Buildings Specifications

Correction:

Building Wind Load	19 PSI	

Add:

Building Roof Load	2.6 kPa (55 psf)	

Remove:

Ceiling Insulation	1” spray foam or equivalent	

Table 3. Non-Combustible Hazardous Materials Storage Non-Occupancy Buildings Specifications

Remove:

Building Wind Load	160 km/h (100 mph)	

End of Addendum 1